



E.S

0320

PATENT
Customer No. 22,852
Attorney Docket No. 06502.0381

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Guy L. STEELE, JR.) Group Art Unit: 2121
Application No.: 10/035,580) Examiner: Unknown
Filed: December 28, 2001)
For: FLOATING POINT MULTIPLIER)
WITH EMBEDDED STATUS)
INFORMATION)

Commissioner for Patents
Washington, DC 20231

Attention: **BOX MISSING PARTS**

Sir:

**RESPONSE TO NOTICE TO FILE
CORRECTED APPLICATION PAPERS**

In response to the communication of January 30, 2002, Applicant submits corrected drawings (Figs. 1-4C; 6 sheets), and a copy of the Notice to File Corrected Application Papers.

Please associate the enclosed drawings with the application, grant any extensions of time required to enter this response, and charge any required fees to our deposit account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: 

D. Kent Stier
Reg. No. 50,640
(404) 653-6559

Dated: March 22, 2002

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com



MAR 22 2002

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/035,580	12/28/2001	Guy L. Steele JR.	06502.0381

CONFIRMATION NO. 2889

FORMALITIES LETTER



OC000000007394827

Finnegan, Henderson, Farabow,
Garrett & Dunner, L.L.P.
1300 I Street, N.W.
Washington, DC 20005-3315

Date Mailed: 01/30/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Karla Quintanilla

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE